

03500.015658.1



PATENT

Col/CH

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:)	
AKIRA NAGASHIMA, et al.)	Examiner: Veronica F. Faison Gee
Appl. No.: 10/629,620)	Group Art Unit: 1755
Filed: July 30, 2003)	
For: INK, INK-JET RECORDING PROCESS)	
RECORDED ARTICLE, RECORDING)	
UNIT, INK CARTRIDGE, INK-JET)	
RECORDING APPARATUS, FLUOR-)	
ESCENCE ENHANCING METHOD)	
OF ELONGATING LIFETIME OF)	
FLUORESCENCE)	
U.S. Patent No.: 7,220,301 B2)	
Issued: May 22, 2007)	November 13, 2007

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

CERTIFICATE OF CORRECTION
UNDER RULES 322 AND 323

Certificate
NOV 16 2007
of Correction

Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes, and mistakes of a clerical, typographical, or minor character, which were not the fault of the Patent and Trademark Office. A Certificate of Correction form, in duplicate, is enclosed.

Accompanying this letter is a check for \$100.00 to cover the statutory fee for such Certificate of Correction.


NOV 20 2007

11/15/2007 MAHMED1 00000026 7220301
01 FC:1811

100.00 DP

Patentees' undersigned attorney may be reached in our Costa Mesa,
California office by telephone at (714) 540-8700. All correspondence should continue to
be directed to our address given below.

Respectfully submitted,



Damond E. Vadnais
Attorney for Patentees
Registration No.: 52,310

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
Facsimile: (212) 218-2200

FCHS_WS 1707105v1

NOV 20 2007

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,220,301 B2

DATED : May 22, 2007

INVENTOR(S) : Nagashima et al.

Page 1 of 4

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COVER SHEET:

(54) Title, Line 4, "APPARATUS" should read -- APPARATUS, --;

(54) Title, Line 6, "LIFE TIME" should read -- LIFETIME --; and

(57) ABSTRACT, "comprising" should read -- comprising: --.

COLUMN 1:

Line 4, "APPARATUS" should read -- APPARATUS, --; and

Line 6, "LIFE TIME" should read -- LIFETIME --.

COLUMN 2:

Line 59, "comprising" should read -- comprising: --.

COLUMN 3:

Line 2, "diechleneglycol." should read -- diethylene glycol. --;

Line 41 "comprising" should read -- comprising: --; and

Line 65, "comprising" should read -- comprising: --.

COLUMN 4:

Line 2, "diethleneglycol;" should read -- diethylene glycol; --.

COLUMN 5:

Line 35, "comprises" should read -- comprises: --.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 7,220,301 B2

No. of add'l. copies
@ 30¢ per page

NOV 20 2007



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,220,301 B2

DATED : May 22, 2007

INVENTOR(S) : Nagashima et al.

Page 2 of 4

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 7:

Line 45, "Lo" should read -- to --; and

Line 63, "bring" should read -- bringing --.

COLUMN 8:

Line 21, "compound in compatible" should read -- compounds incompatible --;

Line 30, "compound in compatible" should read -- compounds incompatible--; and

Line 44, "pound" should read -- pounds --.


COLUMN 9:

Line 5, "solution," should read -- solution. --.

COLUMN 13:

After Line 67, add the following:

-- Lumogen L .
Red Orange



COLUMN 15:

Line 2, "agents" should read -- agents are --;

Line 11, "refers" should read -- referred --; and

Line 46, "the" should read -- the compound --.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 7,220,301 B2

No. of add'l. copies
@ 30¢ per page

NOV 20 2007



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,220,301 B2

DATED : May 22, 2007

INVENTOR(S) : Nagashima et al.

Page 3 of 4

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 18:

Line 49, "be form" should read -- form --.

COLUMN 20:

Line 29, "be form" should read -- form --.

COLUMN 23:

Line 42, " R_{11} " should read -- R^{11} --.

COLUMN 24:

Line 57, "be form" should read -- form --.

COLUMN 25:

Line 33, "NHCH₂CH₂OH:" should read -- NHCH₂CH₂OH --.

COLUMN 26:

Line 57, "is fluores-" should read -- is preferred from the viewpoint of increasing the fluores- --.

COLUMN 28:

Line 28, "that that" should read -- than that --.

COLUMN 30:

Line 41, "member" should read -- member in --; and
Line 58, "cunveying" should read -- conveying --.

COLUMN 33:

Line 9, "triangle" should read -- triangles --.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 7,220,301 B2

No. of add'l. copies
@ 30¢ per page

NOV 20 2007



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,220,301 B2

DATED : May 22, 2007

INVENTOR(S) : Nagashima et al.


Page 4 of 4

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 43:

After Line 67, add the following:

-- Lumogen L
Red Orange



COLUMN 45:

Line 52, "additional" should read -- an additional --.

COLUMN 46:

Line 3, "clear:" should read -- clear; --.

COLUMN 50:

Table 4, "1 2 3 4 5" should read -- 6 7 8 9 10 --; and

Table 5, in the "Change in fluorescence intensity with time" row and in the "Comp. example 7" column, "A" should read -- B --.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 7,220,301 B2

No. of add'l. copies
@ 30¢ per page

NOV 20 2007

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,220,301 B2

DATED : May 22, 2007

INVENTOR(S) : Nagashima et al.

Page 1 of 4

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COVER SHEET:

(54) Title, Line 4, "APPARATUS" should read -- APPARATUS, --;

(54) Title, Line 6, "LIFE TIME" should read -- LIFETIME --; and

(57) ABSTRACT, "comprising" should read -- comprising: --.

COLUMN 1:

Line 4, "APPARATUS" should read -- APPARATUS, --; and

Line 6, "LIFE TIME" should read -- LIFETIME --.

COLUMN 2:

Line 59, "comprising" should read -- comprising: --.

COLUMN 3:

Line 2, "diechleneglycol." should read -- diethylene glycol. --;

Line 41 "comprising" should read -- comprising: --; and

Line 65, "comprising" should read -- comprising: --.

COLUMN 4:

Line 2, "diethyleneglycol;" should read -- diethylene glycol; --.

COLUMN 5:

Line 35, "comprises" should read -- comprises: --.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 7,220,301 B2

No. of add'l. copies
@ 30¢ per page

may 20 2007



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,220,301 B2

DATED : May 22, 2007

INVENTOR(S) : Nagashima et al.

Page 2 of 4

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 7:

Line 45, "Lo" should read -- to --; and

Line 63, "bring" should read -- bringing --.

COLUMN 8:

Line 21, "compound in compatible" should read -- compounds incompatible --;

Line 30, "compound in compatible" should read -- compounds incompatible--; and

Line 44, "pound" should read -- pounds --.


COLUMN 9:

Line 5, "solution," should read -- solution. --.

COLUMN 13:

After Line 67, add the following:

-- Lumogen L
Red Orange



COLUMN 15:

Line 2, "agents" should read -- agents are --;

Line 11, "refers" should read -- referred --; and

Line 46, "the" should read -- the compound --.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 7,220,301 B2

No. of add'l. copies
@ 30¢ per page



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,220,301 B2

DATED : May 22, 2007

INVENTOR(S) : Nagashima et al.

Page 3 of 4

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 18:

Line 49, "be form" should read -- form --.

COLUMN 20:

Line 29, "be form" should read -- form --.

COLUMN 23:

Line 42, "R₁₁" should read -- R¹¹ --.

COLUMN 24:

Line 57, "be form" should read -- form --.

COLUMN 25:

Line 33, "NHCH₂CH₂OH:" should read -- NHCH₂CH₂OH --.

COLUMN 26:

Line 57, "is fluores-" should read -- is preferred from the viewpoint of increasing the fluores- --.

COLUMN 28:

Line 28, "that that" should read -- than that --.

COLUMN 30:

Line 41, "member" should read -- member in --; and

Line 58, "cunveying" should read -- conveying --.

COLUMN 33:

Line 9, "triangle" should read -- triangles --.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 7,220,301 B2

No. of add'l. copies
@ 30¢ per page

NOV 20 2007
→

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,220,301 B2

DATED : May 22, 2007

INVENTOR(S) : Nagashima et al.


Page 4 of 4

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 43:

After Line 67, add the following:

-- Lumogen L
Red Orange



COLUMN 45:

Line 52, "additional" should read -- an additional --.

COLUMN 46:

Line 3, "clear:" should read -- clear; --.

COLUMN 50:

Table 4, "1 2 3 4 5" should read -- 6 7 8 9 10 --; and

Table 5, in the "Change in fluorescence intensity with time" row and in the "Comp. example 7" column, "A" should read -- B --.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 7,220,301 B2

No. of add'l. copies
@ 30¢ per page



NOV 20 2007